


Certificate of Compliance

Certificate Number 20080404-MH16434
Report Reference MH16434-May 30, 1990
Issue Date 2008 April 4

Page 1 of 2



Issued to: Clow Water Systems Co.

2266 S 6th St
P.O. Box 6001
Coshocton OH 43812


This is to certify that Drinking Water System Components
representative samples of Pipe and Related Products - See Addendum

Have been investigated by Underwriters Laboratories Inc.® in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/NSF Standard 61 - Drinking Water System Components - Health Effects

Additional Information: Water Contact Temperature: 23 Deg. C

Only those products bearing the UL Classification Mark should be considered as being covered by UL's Classification and Follow-Up Service.

The UL Classification Mark includes: UL in a circle symbol:  with the word "CLASSIFIED" (as shown); a control number (may be alphanumeric) assigned by UL; a statement to indicate the extent of UL's evaluation of the product; and, the product category name (product identity) as indicated in the appropriate UL Directory.

Look for the UL Classification Mark on the product

Issued by:

Nancy Batley
Nancy Batley, Project Handler

Underwriters Laboratories Inc.

Reviewed by:

Thomas Bowman
Thomas Bowman, Section Manager

Underwriters Laboratories Inc.

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL. For questions in The United States of America you may call 1-877-UL-HELPS.

Certificate of Compliance

Certificate Number 20080404-MH16434
Report Reference MH16434-May 30, 1990
Issue Date 2008 April 4

Page 2 of 2



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

6 to 36 inch Pipes & Fittings

Water Contact Material

Cement lined pipes & fittings
Coated ductile iron flanged pipe
Coated ductile iron pipe
Coated gray & ductile iron fittings
Uncoated ductile iron flanged pipe
Uncoated ductile iron pipe
Uncoated gray & ductile iron fittings

Cement
Asphalt
Asphalt
Asphalt
Ductile iron
Ductile iron
Iron

Issued by:

Nancy Batey
Nancy Batey, Project Handler

Underwriters Laboratories Inc.

Reviewed by:

Thomas Bowman
Thomas Bowman, Section Manager

Underwriters Laboratories Inc.

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.
For questions in The United States of America you may call 1-877-UL-HELPS.



FDNP.MH16434 Drinking Water System Components

[Page Bottom](#)

Drinking Water System Components

[See General Information for Drinking Water System Components](#)**CLOW WATER SYSTEMS CO**

MH16434

2266 S 6TH ST

PO BOX 6001

COSHOCOTON, OH 43812 USA

ANSI/NSF STANDARD 61**Pipes and Related Products**

Trade Dsg	Water Contact Temp (C)	Water Contact Mtl
Cement Lined Pipes & Fittings (6 in.-36 in.)	23	Cement
Coated Ductile Iron Flanged Pipe (6 in.-36 in.)	23	Asphalt
Coated Ductile Iron Pipe (6 in.-36 in.)	23	Asphalt
Coated Gray & Ductile Iron Fittings (6 in.-36 in.)	23	Asphalt
Uncoated Ductile Iron Flanged Pipe (6 in.-36 in.)	23	Ductile iron
Uncoated Ductile Iron Pipe (6 in.-36 in.)	23	Ductile iron
Uncoated Gray & Ductile Iron Fittings (6 in.-36 in.)	23	Iron

Last Updated on 2008-08-16

[Questions?](#)[Notice of Disclaimer](#)[Page Top](#)

Copyright © 2009 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.




3M89



BNQ 3623-085 940



ALSO CLFD. ANSI / NSF-61



VIEW A-A
(TYPICAL ALL STAMPS)

- NOTES:
1. LETTERS TO BE SIZE AND SHAPE SHOWN
 2. MATERIAL - BLACK RUBBER 50 - 60 DUROMETER

CLOW CLOW WATER SYSTEMS COMPANY COSHICON, OHIO		DETAIL	
REV	DESCRIPTION	DATE	
A	ADDED STAMP & MODIFIED	5-8-07	
PIPE STAMP 516.A2			
ANSI			
DESIGN BY	PAB	CHECK BY	C-5459
SCALE	FULL	DATE	9/28/00

THIS DRAWING AND ALL INFORMATION HEREON IS OUR PROPERTY AND SHALL NOT BE USED, COPIED OR REPRODUCED WITHOUT OUR WRITTEN CONSENT. DESIGN AND INVENTION RIGHTS RESERVED.